

## Wood burning steel stove ERIK Ø 150 5,5 kW

SKU: ERIK/KONF EAN: 5903751232308

**€1,177.72**



### Technical data

#### General data

|                              |                   |
|------------------------------|-------------------|
| Rated output (kW)            | <b>5.5</b>        |
| Heating power range (kW)     | <b>2,5-8,5</b>    |
| Heating efficiency (%)       | <b>80.5</b>       |
| Exhaust gas temperature (°C) | <b>297</b>        |
| Max length of logs (cm)      | <b>25</b>         |
| Type of gas                  | <b>G30/37MBAR</b> |
| Door opening direction       | <b>Left</b>       |
| Materials                    | <b>Steel</b>      |
| Flue outlet diameter (mm)    | <b>150</b>        |
| Air intake diameter (mm)     | <b>100</b>        |

#### Energetic efficiency

|                                                    |              |
|----------------------------------------------------|--------------|
| Energy class                                       | <b>A</b>     |
| Energy efficiency index (EEI)                      | <b>106.7</b> |
| Seasonal Heating efficiency (%)                    | <b>70.5</b>  |
| Moc cieplna do ogrzewania pomieszczeń (kW)         | <b>5.5</b>   |
| CO emissions (at 13% O <sub>2</sub> ) ≤ given in % | <b>0.077</b> |
| Emisja CO (mg/m <sup>3</sup> )                     | <b>965</b>   |
| Dust emission (mg/Nm <sup>3</sup> )                | <b>37</b>    |
| Emisja NO <sub>x</sub> (mg/Nm <sup>3</sup> )       | <b>117</b>   |
| Emisja OGC (mg/Nm <sup>3</sup> )                   | <b>103</b>   |
| Flue gases mass flow rate (g/s)                    | <b>4</b>     |

## Certifications / Compliance

|                    |                                                                                             |
|--------------------|---------------------------------------------------------------------------------------------|
| Meets requirements | <b>BlmSchV 2, Ecodesign, 7*<br/>Flamme Verte, Designed for<br/>recuperation, KRATKI PRO</b> |
|--------------------|---------------------------------------------------------------------------------------------|

## Additional information

|                 |                                                                                            |
|-----------------|--------------------------------------------------------------------------------------------|
| Design features | <b>Air intake - built in ,<br/>Decorative glass, Ashpan,<br/>Combustion chamber lining</b> |
|-----------------|--------------------------------------------------------------------------------------------|

|            |                                                |
|------------|------------------------------------------------|
| Front type | <b>Steel front with bent<br/>painted glass</b> |
|------------|------------------------------------------------|

|              |                                                    |
|--------------|----------------------------------------------------|
| Type of fuel | <b>Seasoned deciduous wood<br/>(humidity ≤20%)</b> |
|--------------|----------------------------------------------------|

|     |                      |
|-----|----------------------|
| EAN | <b>5903751232308</b> |
|-----|----------------------|

## Physical parameters

|            |             |
|------------|-------------|
| Width (cm) | <b>52.8</b> |
|------------|-------------|

|             |              |
|-------------|--------------|
| Height (cm) | <b>103.9</b> |
|-------------|--------------|

|            |             |
|------------|-------------|
| Depth (cm) | <b>42.2</b> |
|------------|-------------|

